

Adult Ambulatory Infusion Order BLOOD TRANSFUSION ORDER

Patient Name:
Date of Birth:
Med. Rec. No:

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE

Antici	pated S			tient to follow up with provider on date:
				er 365 days, unless otherwise specified below***
Order	s expire	<b>:</b>		
Weigh	nt:	kg	Height:	cm
Allerg	ies:			
Diagn	osis: _			Diagnosis Code:
GUIDE	ELINES	FOR PRESC	RIBING:	
2.	provide All blood Patien	l <b>er chart or p</b> ood products ar	rogress note re leukoreduced nsented for trans	CARD, current medication/allergy list, and most recent sfusion and documentation in medical record. Consent valid for
LABS	то ве	DRAWN:		
	PREPA BBH (E Labs a	ARE (Type an Blood Bank Ho Iready drawn.	d Screen), STAT old), Routine, ON Date:	NCE
NURS	ING OR	DERS:		
			it: routine vital si METERS <i>(Atter</i>	igns ntion Providers: please assign appropriate parameters)
	a.			tocrit less than or equal to %, transfuse units of hours each (infusion rate per Legacy Policy, if not specified
	b.			globin less than or equal to g/dL, transfuse units of hours each (infusion rate per Legacy Policy, if not specified
	C.	Platelet Transpheresis plate	•	telet count less than or equal to, transfuse units
4.	Nursin (Periph	g communicat neral) and LH	ion order, every 904.4004 IV Acc	visit: Titrate per Legacy protocol 915.4282 visit: Manage line per LH policy 904.4007 IV Catheter Insertion cess: Central Catheters y visit: Manage hypersensitivity reactions per LH 906.6606

Page 1 of 4 Last updated 6/2024



Adult Ambulatory Infusion Order BLOOD TRANSFUSION ORDER

Patient Name:		
Date of Birth:		
Med. Rec. No:		

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE

SPECIAL NEEDS (May select more than one)
<ul> <li>□ CMV Seronegative</li> <li>□ Irradiated</li> <li>□ Direct Donor</li> <li>□ Washed</li> <li>□ Phenotype Matched (rarely indicated)</li> <li>□ Other:</li></ul>
PRE-MEDICATIONS: (Administer 30 minutes prior to infusion)
□ acetaminophen, PO, ONCE PRN for infusion tolerance, every visit □ 325 mg □ 650 mg □ Other
☐ diphenhydramine PO, ONCE PRN for infusion tolerance, every visit ☐ 25 mg ☐ 50 mg
☐ cetirizine PO, ONCE PRN for infusion tolerance, every visit  (Choose as alternative to diphenhydramine if needed)  ☐ 10 mg
Other:
(dexamethasone, methylprednisolone, hydrocortisone, famotidine)

Page 2 of 4 Last updated 6/2024



Adult Ambulatory Infusion Order BLOOD TRANSFUSION ORDER

Patient Name:
Date of Birth:
Med. Rec. No:

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE

BLOOD PRO	DDUCT(S):
☐ Pack	ed Red Blood Cells
•	Amount: Units
•	Interval
	☐ Once
	☐ Every days for treatments. Begin on date:
☐ Phere	esis Platelets
•	Matched:
	☐ HLA Matched
	☐ Cross-matched
•	Amount: Units
•	Interval
	☐ Once
	☐ Every days for treatments. Begin on date:
☐ Froze	en Plasma
•	Amount: Units
•	Interval
	Once
	Every days for treatments. Begin on date:
☐ Cryo	precipitate Pool
•	Amount: pools (NOTE: 1 pool = 5 units. Usual adult dose = 2 pools)
•	Interval
	Once
	Every days for treatments. Begin on date:
AS NEEDED	MEDICATIONS:
☐ fures	emide mg IV, every visit (after the first unit of blood product)
_	sodium chloride 25-150 ml /br IV_CONTINUOUS PRN_every visit (to prime and flush line)

Page 3 of 4 Last updated 6/2024



Adult Ambulatory Infusion Order BLOOD TRANSFUSION ORDER

Patient Name:		
Date of Birth:		
Med. Rec. No:		

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE

Please check the appropriate box for the patient	t's preferred cl	nic location:	
☐ Legacy Salmon Creek Day Treatment Ur Legacy Salmon Creek Medical Center 2121 NE 139 <sup>th</sup> Street, Suite 110 Vancouver, WA 98686 Phone number: 360-487-1750 Fax number: 360-487-5773	nit		
Provider signature:	Date	e/Time:	
Printed Name:	Phone:	Fax:	
Organization/Department:			

Page 4 of 4 Last updated 6/2024