

## Legacy Day Treatment Unit Provider's Orders

Patient Name: Date of Birth:

Adult Ambulatory Infusion Order HYDRATION FOR HYPEREMESIS GRAVIDARUM

Med. Rec. No (TVC MRN Only):

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE

Anticipated Start Date:	Patient to follow up with provider on date:
***This plan will expire after 365 day	ys, unless otherwise specified below***
Weight:kg Height:	cm
Allergies:	
Diagnosis:	
Diagnosis Code:	(please include primary and secondary diagnosis codes)
GUIDELINES FOR PRESCRIBING:	
<ol> <li>Send FACE SHEET, INSURA</li> <li>Please specify base fluid, addi</li> </ol>	NCE CARD and most recent provider chart or progress note. itives, total volume, and rate.
LABS COMPLETED:	
☐ Urine Dipstick, Ketones, ONCI (Note: Ketone testing is not av ☐ Other:	·
	- Notify provider if urine ketones are greater than trace or orthostatic reater than 20 mmHg after 3 liters of IV hydration.
MEDICATIONS:	
_	

Page 1 of 3 Last updated 6/2024



## Legacy Day Treatment Unit Provider's Orders

Patient Name: Date of Birth:

Adult Ambulatory Infusion Order HYDRATION FOR HYPEREMESIS GRAVIDARUM

Med. Rec. No (TVC MRN Only):

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( $\checkmark$ ) TO BE ACTIVE

Total Volume: (must check one)  250 mL 500 mL 1000 mL mL	Rate: (must check one)  □ 250 mL/hr □ 500 mL/hr □ 1000 mL/hr □ 2000 mL/hr □ mL/hr
Interval: (must check one)	
Every visit	
☐ Repeat every days for x doses	
Repeat every weeks for x doses	
☐ Other:	
Bag 2: (additional hydration)	
Base: (must check one)	Total Volume: (must check one)
D5LR (Dextrose 5% - Lactated Ringers)	☐ 250 mL
☐ LR (Lactated Ringers)	☐ 500 mL
D5-1/2NS (Dextrose 5% - sodium chloride 0.45%)	☐ 1000 mL
☐ NS (sodium chloride 0.9%)	□mL
Rate: (must check one)	Interval: (must check one)
250 mL/hr	Every visit with bag 1
☐ 500 mL/hr	☐ Other:
☐ 1000 mL/hr	
☐ 2000 mL/hr	
□ mL/hr	
AS NEEDED MEDICATIONS:	
Antiemetics (administered in sequence below unless of ondansetron (ZOFRAN) injection 4 mg, IV, AS NE prochlorperazine (COMPAZINE) injection 5 mg, IV give second  ☐ metoclopramide (REGLAN) injection 10 mg, IV, A third	EEDED, x 1 dose for nausea/vomiting, give first /, AS NEEDED, x 1 dose for nausea/vomiting,
Alternative sequence of administration:	
Histamine (H₂) blockers ☐ famotidine (PEPCID) 20 mg, IV, AS NEEDED x 1	dose for heartburn/indigestion

Page 2 of 3 Last updated 6/2024



## Legacy Day Treatment Unit Provider's Orders

Adult Ambulatory Infusion Order HYDRATION FOR HYPEREMESIS GRAVIDARUM

Patient Name:	
Date of Birth:	
Med. Rec. No (TVC MRN Only):	

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( $\checkmark$ ) TO BE ACTIVE

Printed Name: Phone	: Fax:
Provider signature:	Date/Time:
□ Legacy Salmon Creek Day Treatment Unit Legacy Salmon Creek Medical Center 2121 NE 139 <sup>th</sup> Street, Suite 110 Vancouver, WA 98686 Phone number: 360-487-1750 Fax number: 360-487-5773	□ Legacy STEPS Clinic  A department of Silverton Medical Center Legacy Woodburn Health Center 1475 Mt Hood Ave Woodburn, OR 97071 Phone number: 503-982-1280 Fax number: 503-225-8723
□ Legacy Day Treatment Unit – The Vancouver Clinic Building A department of Salmon Creek Medical Center 700 NE 87 <sup>th</sup> Avenue, Suite 360 Vancouver, WA 98664 Phone number: 360-896-7070 Fax number: 360-487-5773	□ Legacy Emanuel Day Treatment Unit A department of Emanuel Medical Center 501 N Graham Street, Suite 540 Portland, OR 97227 Phone number: 503-413-4608 Fax number: 503-413-4887

Page 3 of 3 Last updated 6/2024