 <p>LEGACY HEALTH</p>	<p><b>Legacy Day Treatment Unit Provider's Orders</b></p> <p>Adult Ambulatory Infusion Order ZOLEDRONIC ACID (ZOMETA)</p>	<p><b>Patient Name:</b> _____</p> <p><b>Date of Birth:</b> _____</p> <p><b>Med. Rec. No (TVC MRN Only):</b> _____</p>
<p>ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (☑) TO BE ACTIVE</p>		

**Anticipated Start Date:** \_\_\_\_\_ **Patient to follow up with provider on date:** \_\_\_\_\_

\*\*\*This plan will expire after 365 days, unless otherwise specified below\*\*\*

**Orders expire:** \_\_\_\_\_

**Weight:** \_\_\_\_\_ kg    **Height:** \_\_\_\_\_ cm

**Allergies:** \_\_\_\_\_

**Diagnosis:** \_\_\_\_\_    **Diagnosis Code:** \_\_\_\_\_

**GUIDELINES FOR PRESCRIBING:**

1. Send **FACE SHEET, INSURANCE CARD and most recent provider chart or progress note.**
2. This plan should be used in patients with bone lesions associated with multiple myeloma, bone metastases from solid tumors, and hypercalcemia of malignancy.
3. Hypocalcemia must be corrected before initiation of therapy. Patients with multiple myeloma and bone metastases of solid tumors should be prescribed daily calcium and vitamin D supplementation.
4. Risk versus benefit regarding osteonecrosis of the jaw and hip fracture must be discussed prior to treatment.

**Dental Clearance: (Must select one)**

- Dental clearance required prior to initiation (form on page 3) – **Recommended, not required**
- Patient may be treated without documentation of dental clearance


**PROVIDER TO PHARMACIST COMMUNICATION:**

1. Creatinine clearance is calculated using Cockcroft-Gault formula (Use actual weight unless patient is greater than 30% over ideal body weight, then use adjusted body weight). If serum creatinine is below 0.7 mg/dL, use 0.7 mg/dL to calculate creatinine clearance. The following dose adjustment instruction applies only to indications other than hypercalcemia. For hypercalcemia indication, the dose should always be 4 mg. Pharmacist should discuss with provider if SCr is > 4.5 mg/dL.

<u>Creatinine Clearance:</u>	<u>Dose of zoledronic acid:</u>
Greater than 60 mL/min	4 mg
50 - 60 ml/min	3.5 mg
40 - 49 ml/min	3.3 mg
30 - 39 ml/min	3.0 mg
<30 mL/min	Pharmacist to discuss dose with provider

**LABS:**

- CMP, Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Labs already drawn. Date: \_\_\_\_\_

 <p>LEGACY HEALTH</p>	<p><b>Legacy Day Treatment Unit Provider's Orders</b></p> <p>Adult Ambulatory Infusion Order ZOLEDRONIC ACID (ZOMETA)</p>	<p><b>Patient Name:</b></p> <p><b>Date of Birth:</b></p> <p><b>Med. Rec. No (TVC MRN Only):</b></p>
<p>ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (☑) TO BE ACTIVE</p>		

**NURSING ORDERS:**

1. TREATMENT PARAMETER – Pharmacist to calculate corrected calcium. Hold and contact provider for corrected calcium less than 8.4 mg/dL.
2. If no results in past 7 days for every 4-week dosing, or past 30 days for every 12- or 26-week dosing, order CMP.
3. Assess for new or unusual thigh, hip, groin, or jaw pain. Inform provider if positive findings or if patient is anticipating invasive dental work.
4. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

**PRE-HYDRATION:**

1. Have patient drink at least 2 glasses of fluid prior to infusion.

**MEDICATIONS:**

- zoledronic acid (ZOMETA) 4 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE, over 15 minutes

**Interval: (*must check one*)**

- ONCE
- Every \_\_\_\_\_ weeks x \_\_\_\_\_ doses (minimum of 7 days between doses for hypercalcemia)

**NURSING ORDERS (TREATMENT PARAMETERS):**

1. Nursing communication order: Encourage good hydration during and after infusion.
2. Nursing communication order: If corrected calcium is between 8.4 and 8.8 review home medication for calcium and vitamin D supplementation. If patient is not on these agents, notify provider
3. Nursing communication order: Manage line per LH policy 904.4007 IV Catheter Insertion (Peripheral) and LH 904.4004 IV Access: Central Catheters
4. Nursing communication orders: Manage hypersensitivity reactions per LH 906.6606



**Legacy Day Treatment Unit  
Provider's Orders**

Adult Ambulatory Infusion Order  
ZOLEDRONIC ACID (ZOMETA)

**Patient Name:**

**Date of Birth:**

**Med. Rec. No** (TVC MRN Only):

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (☑) TO BE ACTIVE

Please check the appropriate box for the patient's preferred clinic location:

**Legacy Day Treatment Unit –  
The Vancouver Clinic Building**  
*A department of Salmon Creek Medical Center*  
700 NE 87<sup>th</sup> Avenue, Suite 360  
Vancouver, WA 98664  
Phone number: 360-896-7070  
Fax number: 360-487-5773

**Legacy Emanuel Day Treatment Unit**  
*A department of Emanuel Medical Center*  
501 N Graham Street, Suite 540  
Portland, OR 97227  
Phone number: 503-413-4608  
Fax number: 503-413-4887

**Legacy Salmon Creek Day Treatment Unit**  
Legacy Salmon Creek Medical Center  
2121 NE 139<sup>th</sup> Street, Suite 110  
Vancouver, WA 98686  
Phone number: 360-487-1750  
Fax number: 360-487-5773

**Legacy STEPS Clinic**  
*A department of Silverton Medical Center*  
Legacy Woodburn Health Center  
1475 Mt Hood Ave  
Woodburn, OR 97071  
Phone number: 503-982-1280  
Fax number: 503-225-8723

**Provider signature:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**Organization/Department:** \_\_\_\_\_



**Legacy Day Treatment Unit  
Provider's Orders**

Adult Ambulatory Infusion Order  
ZOLEDRONIC ACID (ZOMETA)

**Patient Name:**  
**Date of Birth:**  
**Med. Rec. No (TVC MRN Only):**

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (☑) TO BE ACTIVE

## Dental Clearance Letter

Re: \_\_\_\_\_ DOB: \_\_\_\_\_

To Whom It May Concern:

Our mutual patient noted above is scheduled to start denosumab or a bisphosphonate medication for the medical treatment of \_\_\_\_\_.

It has been reported that a small number of patients taking these medications may develop a condition known as osteonecrosis following certain dental treatments. We are requesting a dental clearance prior to the initiation of the medical treatment. Please perform a complete dental evaluation and treat any dental conditions that may lead to future teeth extractions or other invasive dental procedures.

Thank you for your assistance.

\_\_\_\_\_  
Name of referring medical practitioner

Date of last dental exam: \_\_\_\_\_

- Patient is free of active dental infection or need for further dental treatments and is cleared to receive denosumab or a bisphosphonate medication
- Patient is NOT cleared to receive denosumab or a bisphosphonate medication

Additional comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
Printed name of Dentist

\_\_\_\_\_  
Signature of Dentist

\_\_\_\_\_  
Date

Please fill out and fax this letter to the infusion center where patient will receive treatment. Attn: Pharmacist

Fax: \_\_\_\_\_